





SERIES-X



Digital Wireless


Picturebook

VDO
CYCLECOMPUTING











Left Side / Links




Left Side / Links



OR / ODER







Right Side / Rechts



Inner Side / Innenseite







Tire size	WS in mm	KMH	WS in inch	MPH	Tire size	WS in mm	KMH	WS in inch	MPH
47-305	16 x 1,75	1272	50,1	37-590	26 x 1 3/8	2105	82,9		
47-406	20 x 1,75	1590	62,6	20-571	26 x 3/4	1954	76,9		
34-540	24 x 1 3/8	1948	76,7	32-630	27 x 1 3/4	2199	86,6		
47-507	24 x 1,75	1907	75,1	40-622	28 x 1,5	2224	87,6		
23-571	26 x 1	1973	77,7	47-622	28 x 1,75	2268	89,3		
40-559	26 x 1,5	2026	79,8	40-635	28 x 1 1/2	2265	89,2		
44-559	26 x 1,6	2051	80,7	37-622	28 x 1 3/8	2205	86,8		
47-559	26 x 1,75	2055	80,9	18-622	700 x 18C	2102	82,8		
50-559	26 x 1,9	2060	81,1	20-622	700 x 20C	2114	83,2		
50-559	26 x 1,9	2060	81,1	23-622	700 x 23C	2133	84,0		
50-559	26 x 1,9	2060	81,1	25-622	700 x 25C	2146	84,5		
n/a	26 x 1,95	2070	81,5	28-622	700 x 28C	2149	84,6		
54-559	26 x 2,00	2075	81,7	32-622	700 x 32C	2174	85,6		
n/a	26 x 2,1	2080	81,9	37-622	700 x 37C	2205	86,8		
57-559	26 x 2,125	2133	84,0	40-622	700 x 40C	2224	87,6		



www.cyclecomputing.com

CP-X-FUNK-1PB/1

SERIES-X

A decorative graphic in the bottom right corner consisting of several concentric, semi-circular lines in shades of gray, resembling a stylized wheel or a target.