







MC 2.0


VDO
CYCLECOMPUTING

MC 2.0 WR
Picturebook











Left Side / Links


OR / ODER




Left Side / Links







Right Side / Rechts



Inner Side / Innenseite







Tire size	KMH WS in mm	MPH WS in inch	Tire size	KMH WS in mm	MPH WS in inch
16 x 1,75	1272	50,1	27 x 1 ¼	2199	86,6
20 x 1,75	1590	62,6	28 x 1 ⅜	2205	86,8
24 x 1,75	1907	75,1	28 x 1 ½	2265	89,2
24 x 1 ⅜	1948	76,7	28 x 1,75	2268	89,3
26 x ¾	1954	76,9	29 x 2,10	2288	90,1
26 x 1	1973	77,7	700 x 18C	2102	82,8
26 x 1,5	2026	79,8	700 x 20C	2114	83,2
26 x 1,6	2051	80,7	700 x 23C	2095	82,5
26 x 1,75	2070	81,5	700 x 25C	2146	84,5
26 x 1,9	2089	82,2	700 x 30C	2149	84,6
26 x 2,00	2114	83,2	700 x 32C	2174	85,6
26 x 1 ⅜	2105	82,9	700 x 35C	2205	86,8
26 x 2,125	2133	84,0	700 x 38C	2224	87,6
26 x 2,25	2155	84,8			
26 x 2,35	2160	85,0			



www.cyclecomputing.com

CP-MC-KABEL-PB/1

MC 2.0